


FED. SUP CLASS  
5975



DIMENSIONS ARE IN INCHES

NOTES:

1. ELBOW SHALL FREELY PASS A .3125 MINIMUM DIAMETER STEEL BALL.
2. MATERIAL: BRASS, TUBING, SEAMLESS, SPEC WW-T-791, GRADE 2, FULLY ANNEALED.
3. FINISH: CADMIUM PLATING, SPEC QQ-P-416, CLASS 2, TYPE II.
4. UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES. TOLERANCES ARE ± .005 ON DECIMALS, AND ± 5° ON ANGLES.
5. SHEET 2 IS IDENTICAL WITH SHEET 1 EXCEPT THAT DIMENSIONS ARE IN MILLIMETERS.
6. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATION FOR BIDS.

THIS IS A DESIGN STANDARD AND SHALL NOT BE USED AS A PART NUMBER.

"CERTAIN PROVISIONS (IDENTIFIED BY \*) OF THIS STANDARD ARE THE SUBJECT OF INTERNATIONAL STANDARDIZATION AGREEMENT NATO STANAG 4006, WHEN REVISION OR CANCELLATION OF THIS STANDARD IS PROPOSED WHICH WILL EFFECT OR VIOLATE THE INTERNATIONAL AGREEMENT CONCERNED, THE PREPARING ACTIVITY WILL TAKE APPROPRIATE RECONCILIATION ACTION THROUGH INTERNATIONAL STANDARDIZATION CHANNELS, INCLUDING DEPARTMENTAL STANDARDIZATION OFFICES, IF REQUIRED."

(A) ENTIRE STANDARD REVISED


REVIEW ACTIVITIES: ARMY-EL, MU  
USER ACTIVITIES: ARMY-GL

This military standard has been approved by the Department of Defense and is mandatory for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

APPROVED 25 APRIL 1958 REVISED (A) 31 OCTOBER 1964

P.A. ARMY-AT Other List NAVY-YO AF-85	INTERNATIONAL INTEREST	ELBOW, ELECTRICAL CONDUIT: SPARK PLUG CABLE (OTHER THAN AIRCRAFT)	MILITARY STANDARD	
	PROCUREMENT SPECIFICATION NONE		SUPERSEDES	MS 39019

FED. SUP CLASS  
5975



DIMENSIONS ARE IN MILLIMETERS

NOTES:

1. ELBOW SHALL FREELY PASS A 79375 MILLIMETER DIAMETER STEEL BALL.
2. MATERIAL: BRASS, TUBING, SEAMLESS, SPEC WW-T-791, GRADE 2, FULLY ANNEALED.
3. FINISH: CADMIUM PLATING, SPEC QQ-P-416, CLASS 2, TYPE II.
4. UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN MILLIMETERS. TOLERANCES ARE  $\pm .13$  ON DECIMALS, AND  $\pm 5^\circ$  ON ANGLES.
5. SHEET 1 IS IDENTICAL WITH SHEET 2 EXCEPT THAT DIMENSIONS ARE IN INCHES.

THIS IS A DESIGN STANDARD AND SHALL NOT BE USED AS A PART NUMBER.

"CERTAIN PROVISIONS (IDENTIFIED BY \*) OF THIS STANDARD ARE THE SUBJECT OF INTERNATIONAL STANDARDIZATION AGREEMENT NATO STANAG 4006. WHEN REVISION OR CANCELLATION OF THIS STANDARD IS PROPOSED WHICH WILL EFFECT OR VIOLATE THE INTERNATIONAL AGREEMENT CONCERNED, THE PREPARING ACTIVITY WILL TAKE APPROPRIATE RECONCILIATION ACTION THROUGH INTERNATIONAL STANDARDIZATION CHANNELS, INCLUDING DEPARTMENTAL STANDARDIZATION OFFICES, IF REQUIRED."

(A) ENTIRE STANDARD REVISED\*

REVIEW ACTIVITIES: ARMY-EL, MU  
USER ACTIVITIES: ARMY-GI

This military standard has been approved by the Department of Defense and is mandatory for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

APPROVED 25 APRIL 1958 REVISED (A) 31 OCTOBER 1966

P A ARMY-AT Other Lists	INTERNATIONAL INTEREST	MILITARY STANDARD
NAVY-YD AF-85	ELBOW, ELECTRICAL CONDUIT: SPARK PLUG CABLE (OTHER THAN AIRCRAFT)	MS 39019
PROCUREMENT SPECIFICATION	SUPERSEDES	SHEET 2 OF 2
NONE		